

RFID BASED AUTOMATED PETROL PUMP

Parimala Gandhi G¹, Goutham N², Gowtham DC³, Kishor KK^{4*}

¹Department of Electronic & Communication Engineering, R R Institute Of Technology, Karnataka, India.

²Department of Electronic & Communication Engineering, R R Institute Of Technology, Karnataka, India.

³Department of Electronic & Communication Engineering, R R Institute Of Technology, Karnataka, India.

⁴Department of Electronic & Communication Engineering, R R Institute Of Technology, Karnataka, India.

*Corresponding Author Email: kishorkumarkk2005@gmail.com

Abstract

The rapid advancement of automation technologies has significantly improved efficiency and security in fuel dispensing systems. This project presents the design and implementation of an RFID-based automated petrol pump system aimed at reducing human intervention, minimizing fuel theft, and ensuring accurate transactions. The system utilizes Radio Frequency Identification (RFID) technology to authenticate users through uniquely assigned RFID cards linked to their accounts.

Keywords- RFID card, Reduce human intervention.

1. Introduction

The introduction provides background information and outlines the motivation for the present study. It discusses recent advancements in emerging technologies and identifies the research gap addressed in this work. The objectives and significance of the proposed approach are clearly stated.

2. Related Work

In today's fast-paced world, automation has become essential in improving efficiency, accuracy, and convenience across various industries. The fuel dispensing sector is still largely dependent on manual operation, which can lead to issues such as human errors, fuel theft, inaccurate measurement, and longer waiting times. To overcome these challenges, the integration of advanced technologies like Radio Frequency Identification (RFID) offers a smart and reliable solution.

An RFID-based automated petrol pump system is designed to enable secure and contactless fuel dispensing without the need for continuous human involvement. In this system, each user or vehicle is equipped with an RFID card containing unique identification data. When the card is scanned at the petrol pump, the system authenticates the user and

allows fuel dispensing based on the available balance or predefined limits.

The system uses a microcontroller (such as Arduino or ESP32), an RFID reader, a fuel flow sensor, and control mechanisms like solenoid valves to automate the entire process. It ensures accurate fuel delivery, maintains transaction records, and enhances transparency. This technology is particularly beneficial for fleet management systems, corporate fuel monitoring, and smart city infrastructure.

Overall, the RFID-based petrol pump system represents a shift toward intelligent fuel management by reducing manual dependency, improving operational efficiency, and providing a secure and user-friendly experience. Several recent studies highlight trends and challenges in Automatic solar tracker using Arduino.

[1] Patil et al. (2018) Developed an RFID-based petrol pump automation system aimed at minimizing human intervention in fuel dispensing. Their system uses RFID tags assigned to users, enabling automatic identification and authorization before fuel delivery. This approach significantly reduces manual errors, prevents unauthorized access, and enhances operational efficiency in fuel stations.

[2] Shinde and Kulkarni (2019) Proposed a prepaid RFID-enabled fuel management system where users maintain a balance linked to their RFID card. The system automatically deducts the fuel cost from the user's account during dispensing. This method improves transparency, reduces transaction time, and eliminates the need for cash handling, making the process faster and more secure.

[3] Kumar et al. (2020) Designed an Arduino-based system integrated with RFID technology to control fuel dispensing operations. Their model includes real-time monitoring of fuel flow and automatic recording of transactions in a database. This ensures accurate measurement, prevents fuel wastage, and maintains reliable transaction logs for auditing purposes.

[4] Reddy et al. (2020) Introduced a smart fuel management system focusing on preventing fuel theft and misuse. By implementing RFID authentication along with automated control mechanisms, the system restricts access to authorized users only. It also provides alerts and monitoring features, enhancing security and accountability in fuel stations.

[5] Singh and Verma (2021) Implemented a contactless fuel dispensing system using RFID technology to improve user convenience and reduce waiting time at fuel stations. Their system streamlines the fueling process by automating identification and payment, thereby increasing efficiency and providing a seamless user experience.

[6] Ahmed et al. (2021) Developed an advanced RFID-based fuel system integrated with a centralized database for secure transaction management. The system stores user data, transaction history, and fuel usage patterns, enabling better tracking and analysis. This enhances security, prevents fraud, and supports efficient fuel station management.

[7] Gupta et al. (2022) Proposed an IoT-based fuel monitoring system integrated with RFID technology for real-time tracking and management. Their system uses sensors and cloud connectivity to continuously monitor fuel levels, consumption patterns, and transaction details. The integration of IoT enables remote access to data, allowing administrators to analyze usage and detect anomalies, thereby improving efficiency and transparency in fuel management

[8] Nair and Pillai (2022) Designed a fleet management system using RFID technology to monitor fuel usage across multiple vehicles. Each vehicle is equipped with an RFID tag, enabling automated identification and fuel allocation. The system helps in tracking fuel consumption, reducing misuse, and maintaining detailed records for each vehicle, making it highly useful for organizations managing large transportation fleets.

[9] Sharma et al. (2023) Developed a smart petrol pump system incorporating RFID authentication along with digital payment methods for complete automation. The system allows users to authenticate using RFID cards and make payments through integrated digital platforms. This reduces manual intervention, enhances user convenience, and ensures secure and fast transactions at fuel stations.

[10] Das et al. (2024) Proposed an advanced fuel management system that combines RFID technology with cloud computing for remote monitoring and control. The system enables real-time data storage and access through cloud servers, allowing operators to manage fuel dispensing, monitor transactions, and generate reports from anywhere. This approach improves scalability, data security, and overall system reliability.

3. Materials and Methods

3.1. Proposed Methodology




Fig. 1. Block Diagram of RFID based automated petrol pump

A. System Architecture

The RFID-based automated petrol pump system is designed using a centralized embedded architecture in which a microcontroller, such as Arduino or ESP32, acts as the main control unit. The system consists of input components like an RFID reader and keypad, a processing unit, a database for storing user information, and output devices such as an LCD display and a relay-controlled fuel dispensing unit.

When a user scans the RFID card, the reader sends the unique identification data to the microcontroller, which verifies it with the stored database.

B. Workflow Description

The workflow of the RFID-based automated petrol pump system begins when a user arrives at the fuel station and places the RFID card near the reader. The RFID reader captures the unique identification number from the card and sends it to the microcontroller for verification. The system checks this ID with the stored database to authenticate the user. If the card is valid, the system proceeds to the next step; otherwise, it displays an error message and denies access.

After successful authentication, the system prompts the user to enter the required fuel amount or quantity using a keypad or predefined options. The microcontroller then checks whether the user has sufficient balance to complete the transaction. If the balance is adequate, the system activates the relay or solenoid valve to start fuel dispensing.

During fuel dispensing, a flow sensor continuously measures the amount of fuel delivered and sends real-time data to the microcontroller. Based on this input, the controller ensures that the exact requested quantity is dispensed. Once the desired amount is reached, the system automatically stops the fuel flow by deactivating the relay.

Finally, the corresponding amount is deducted from the user's account, and the transaction details are updated in the database. The LCD display shows the fuel dispensed, remaining balance, and confirmation message. This workflow ensures a smooth, accurate, and secure fuel dispensing process with minimal human intervention.

Additionally, the system enhances user convenience by providing a quick and contactless fueling experience. It minimizes waiting time and reduces dependency on manual operators at the petrol station. The automated record-keeping helps in maintaining accurate transaction history for both users and operators. In case of errors or insufficient balance, the system immediately alerts the user through display messages or buzzer indications. Overall, the workflow improves efficiency, transparency, and reliability in modern fuel dispensing systems.

C. System Design

The system design of the RFID-based automated petrol pump integrates multiple hardware and software modules to ensure secure and accurate fuel dispensing. It includes an RFID reader for user identification, a microcontroller (such as Arduino or ESP32) as the central control unit, a keypad for user input, and a fuel flow sensor to measure the quantity of fuel dispensed. The microcontroller processes the RFID data, verifies the user from the database, and controls the relay or solenoid valve to start and stop fuel flow based on the selected amount. An LCD display is used to show transaction details such as fuel quantity and remaining balance, while the database stores user information and transaction history. This coordinated design enables efficient, automated, and transparent operation of the petrol pump system.

D. Arduino Microcontroller

Arduino Microcontroller: The Arduino acts as the main controller of the solar tracking system. It processes inputs from LDR sensors, identifies the direction of maximum sunlight, and generates control signals to adjust the solar panel. It operates at 5V, is programmed using the Arduino IDE, and is preferred for its simplicity, flexibility, and low power consumption in real-time applications. The Arduino microcontroller is programmed using the Arduino IDE in embedded C and serves as the core controller of the automatic solar tracking system. It is responsible for initializing all connected components, continuously reading analog inputs from LDR sensors, and comparing light intensity values to determine the direction of maximum sunlight. Based on these comparisons, it makes real-time decisions and generates PWM control signals to drive servo or

DC motors for adjusting the solar panel position. To improve stability and accuracy, basic thresholding and filtering techniques are used to avoid unnecessary movements caused by minor fluctuations in light readings. The system also handles simple fault conditions by maintaining the last stable position when sensor data is unreliable. Overall, the Arduino ensures smooth coordination between sensing and actuation for efficient solar tracking.

E. The RFID reader is used to read the unique identification number from the RFID card. When the card is placed near the reader, it captures the data using radio frequency signals and sends it to the microcontroller for verification. This enables secure and contactless user identification.

F. RFID Cards/Tags

RFID cards are assigned to each user and contain a unique ID linked to their account. These cards are used for authentication at the petrol pump and help in tracking user transactions and fuel usage without the need for cash or manual input.

The software and firmware of the RFID-based automated petrol pump system are responsible for controlling and coordinating all system operations. The firmware is developed using Embedded C or the Arduino IDE and is programmed into the microcontroller (Arduino or ESP32). It handles key functions such as reading RFID data, authenticating users, processing keypad inputs, calculating fuel quantity using flow sensor data, and controlling the relay and solenoid valve for fuel dispensing. The software logic also manages balance verification, automatic deduction, and transaction recording. For data management, either EEPROM (for local storage) or a cloud-based database can be used to store user details and transaction history. Additionally, communication protocols like SPI (for RFID), I2C (for LCD), and serial communication are implemented for smooth data transfer between components. Overall, the software and firmware ensure accurate, secure, and efficient automation of the petrol pump system.

4. Results and Discussion

The developed RFID-based automated petrol pump system was successfully tested under different operating conditions. The system accurately authenticated users through RFID cards and allowed

fuel dispensing only for valid users. The fuel flow sensor provided reliable measurements, ensuring that the exact quantity of fuel requested by the user was delivered. The automatic cut-off mechanism worked effectively, stopping fuel flow precisely when the desired limit was reached.

During testing, the system demonstrated reduced human intervention, minimized fuel wastage, and improved transaction accuracy. The response time of RFID authentication and system processing was quick, making the fueling process faster compared to manual methods. The LCD display provided clear and real-time information, enhancing user interaction and transparency.

The final output of the RFID-based automated petrol pump system demonstrates successful integration of identification, control, and fuel dispensing mechanisms. When the user places the RFID card near the reader, the system authenticates the card and displays a welcome message on the LCD screen. The user then enters the required fuel amount using the keypad, and the system processes the request. Upon validation of sufficient balance, the pump is activated, and fuel starts flowing through the pipe into the container. The LCD continuously displays real-time information such as fuel dispensed, amount deducted, and remaining balance.

The system ensures accurate fuel measurement using the flow sensor and automatically stops dispensing once the desired quantity is reached. The relay and solenoid valve work together to control the fuel flow efficiently. The final output also shows transaction details such as card ID, fuel required, fuel dispensed, amount charged, and updated balance, providing complete transparency. This prototype validates the effectiveness of automation in reducing manual errors, improving efficiency, and enabling a secure and user-friendly fuel dispensing system.

4.1 FUTURE SCOPE

The proposed system can be further enhanced by integrating advanced technologies to improve functionality, scalability, and user experience. One major improvement is the integration of IoT and cloud-based monitoring, which allows real-time tracking of fuel transactions, remote data access, and centralized control for multiple petrol stations. Additionally, incorporating mobile application support can enable users to check balance, view

transaction history, and receive notifications directly on their smartphones. The system can also be upgraded by adding digital payment options such as UPI, debit/credit cards, and QR-based payments along with RFID for greater flexibility.

Further improvements can include the implementation of AI-based analytics to monitor fuel usage patterns and detect anomalies or fraud. Advanced safety features such as leakage detection sensors, automatic shutdown during faults, and fire safety integration can enhance system reliability. The use of high-precision industrial flow sensors and secure encrypted RFID systems can improve accuracy and security. Moreover, scaling the system for commercial deployment and smart city infrastructure can make it suitable for large fuel stations and fleet management applications.

5. Conclusion

The RFID-based automated petrol pump system successfully demonstrates a modern approach to fuel dispensing by integrating identification, sensing, and control technologies. The system ensures secure user authentication, accurate fuel measurement, and automatic transaction processing with minimal human intervention. By using components such as RFID, microcontroller, flow sensor, and relay-controlled valves, the project achieves efficient and reliable operation while reducing manual errors and fuel theft.

Overall, the system improves transparency, saves time, and enhances user convenience through contactless and automated processes. It is well-suited for applications such as fleet management, smart fuel stations, and digital fuel monitoring systems. With further enhancements like IoT integration and advanced security features, this system has strong potential for real-world implementation and future smart city solutions.

References

- [1] S. Patil, R. Jadhav, and P. Kulkarni, "RFID based automated petrol pump system," *International Journal of Engineering Research & Technology (IJERT)*, vol. 7, no. 5, pp. 234–237, May 2018.
- [2] A. Shinde and S. Kulkarni, "Prepaid fuel management system using RFID technology," *International Journal of Innovative Research in Science, Engineering and Technology (IJIRSET)*, vol. 8, no. 6, pp. 11234–11238, Jun. 2019.
- [3] R. Kumar, M. Singh, and A. Gupta, "Design and implementation of RFID based fuel dispensing system using Arduino," *International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering (IJAREEIE)*, vol. 9, no. 4, pp. 1456–1461, Apr. 2020.
- [4] P. Reddy, K. Rao, and V. Prasad, "Smart fuel dispensing system using RFID technology," *International Journal of Scientific & Technology Research*, vol. 9, no. 7, pp. 890–894, Jul. 2020.
- [5] H. Singh and R. Verma, "Contactless fuel dispensing system using RFID," *International Journal of Engineering Science and Computing (IJESC)*, vol. 11, no. 3, pp. 27890–27894, Mar. 2021.
- [6] M. Ahmed, S. Khan, and T. Ali, "Secure RFID based fuel management system with database integration," *International Journal of Computer Applications*, vol. 183, no. 12, pp. 25–30, May 2021.
- [7] S. Nair and R. Pillai, "RFID based fuel management system for fleet applications," *International Journal of Research in Engineering and Technology (IJRET)*, vol. 11, no. 5, pp. 45–50, May 2022.
- [8] K. Sharma, D. Jain, and P. Agarwal, "Smart petrol pump automation using RFID and digital payment system," *International Journal of Engineering Research & Technology (IJERT)*, vol. 12, no. 1, pp. 101–105, Jan. 2023.
- [9] A. Das, P. Roy, and S. Dutta, "Cloud integrated RFID based fuel dispensing system for remote monitoring," *International Journal of Advanced Computer Science and Applications (IJACSA)*, vol. 15, no. 3, pp. 210–215, Mar. 2024.
- [10] V. Gupta, A. Mishra, and S. Tiwari, "IoT based smart fuel monitoring system using RFID," *International Journal of Engineering and Advanced Technology (IJEAT)*, vol. 11, no. 2, pp. 67–72, Dec. 2022.